

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	L1 and color	USPAT	OR	OFF	2007/12/10 10:30
L1	1	"6809837".pn.	USPAT	OR	OFF	2007/12/10 10:30
S1	13	"5966310"	USPAT	OR	OFF	2007/12/10 10:29
S12 6	151	(schematic same color same (element or part or object)) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 16:48
S12 3	505	(schematic same color) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 16:48
S12 5	0	("2003/0123724").URPN.	USPAT	OR	OFF	2007/12/06 16:47
S12 4	5	S123 and (revised or revision) same color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 16:47
S11 6	6	703/13-22.ccls. and ("feature-based") and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 16:46
S12 2	3	(S116 or S119) and (color)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:26
S11 9	12	703/13-22.ccls. and ("feature based") and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:26
S11 2	7	S111 and (color near7 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:26
S11 0	2	S109 and (color near7 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:26

EAST Search History

S120	0	S119 and (color near7 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S117	0	S116 and (color near7 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S114	0	S109 and (color near7 schemat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S111	77	345/418-475.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S109	34	700/97.ccls. and ("feature based" or feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S91	1	S87 and (color near7 feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:25
S107	100	345/418-475.ccls. and ("feature based") and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:20
S106	77	345/418-475.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:20
S105	0	715/526-528.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:20
S36	66	345/418-475.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:20

EAST Search History

S10 4	0	715/526-528.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:19
S34	0	715/526-528.ccls. and (feature-based) and (CAD or "computer aided design")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:19
S10 3	15	gardner-william.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:14
S10 2	36	hubbard-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:14
S6	11	gardner-william.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:14
S10 1	0	riley-earl.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S10 0	0	dornberger-james.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S99	0	mccllelland-gregg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S98	0	graham-sammy.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S59	0	graham-sammy.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13

EAST Search History

S7	0	riley-earl.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S5	0	dornberger-james.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S3	31	hubbard-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13
S2	0	mcclelland-gregg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/06 15:13

Google

color schematic OR blueprint "parametric mod

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 1,040 for color schematic OR blueprint "parametric modeling". (0.35 seconds)

Blueprint modeling

Sponsored Link

www.Xerox.com Cost-Saving Business Services: Visit Xerox to Learn More!

Tip: Save time by hitting the return key instead of clicking on "search"

Parametric Sensitivity And Parametric Variation In Linguistics And ...

This location is now known as the Casco Viejo or Old **Parametric modeling ... rod color**, transforming your garden into your own parametric tests paradise. ...
parametrics.millerarnold.com/ - 33k - 14 hours ago - [Cached](#) - [Similar pages](#)

On-line model prediction and calibration system for a dynamically ...

1 is a **schematic/block diagram** of a first embodiment of a online model of course, more complex **parametric modeling** selection of the reproducing system ...
www.freepatentsonline.com/6809837.html - 60k - [Cached](#) - [Similar pages](#)

PARAMETRIC MODELING METHOD AND SYSTEM FOR CONCEPTUAL VEHICLE ...

An electronic method for **parametric modeling** of a conceptual vehicle design. ... 2 is an example of the **schematic** of a parametric skeleton according to one ...
www.freepatentsonline.com/20070198230.html - 62k - [Cached](#) - [Similar pages](#)

[PDF] VoCATS Course Blueprint

File Format: PDF/Adobe Acrobat - [View as HTML](#)

reviewed and approved this **blueprint** for technical content and ... procedures without regard to race, **color**, creed, national origin, gender, or disability. ...
www.ncpublicschools.org/.../blueprints/trade_and_industrial/2005_7973_bp_Drafting-Engineering_III.pdf - [Similar pages](#)

EP1104175 Xerox european software patent - Calibration system for ...

EP1104175 Xerox corp (US): Calibration system for a **color** reproduction device ... of course, more complex **parametric modeling** selection of the reproducing ...
gauss.ffii.org/PatentView/EP1104175 - 50k - [Cached](#) - [Similar pages](#)

CoreSim -- Impact of Our Technology

Schematic Modeling tool front end output showing colour coded errors on nets Signal Integrity Analysis and Board Static Timing Analysis* (prelayout) ...
www.coresim.com/technology_design-implementation.html - 19k - [Cached](#) - [Similar pages](#)

ArchitectureWeek - Tools - More Time Designing - 2001.1219

New design software applications are introducing "**parametric modeling**. ... and moved easily into developing the building massing and **schematic** plans. ...
www.architectureweek.com/2001/1219/tools_1-2.html - 24k - [Cached](#) - [Similar pages](#)

AutoCAD Revit MEP Suite 2008

Gain full 3D **parametric modeling** of plumbing system layouts with Revit MEP. ... Display the **schematic** view of an object rather than the model-generated view ...
www.pugh.co.uk/Products/autodesk/revit_MEP_suite2008.htm - 61k - [Cached](#) - [Similar pages](#)

[PDF] Surface differentiation by parametric modeling of infrared ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

its **schematic** can be seen in Figs. 2 b and 3, respectively. DM Scott, "A 2-color near-infrared sensor for sorting recycled plastic waste," Meas. ...

www.ee.bilkent.edu.tr/~taytac/publications/oe05.pdf - [Similar pages](#)

[FLASH] [loading Animasi Logo Utama "Top" DES DES Mapping Solutions Pte ...](#)

File Format: Shockwave Flash

Also provides design conflict solutions, **parametric modeling** services, Adaptive Reuse

***Schematic Design** *Site Analysis & Space Planning Facilities ...

www.desms.com/flash/main.swf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

color schematic OR blueprint "parametric mod

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 975 for color schematic OR blueprint "parametric model". (0.25 seconds)

On-line model prediction and calibration system for a dynamically ...

For this description, only $L^*a^*b^*$ coordinate space values are used for describing **color**. A particular form of a **parametric model** is preselected off-line ...

www.patentstorm.us/patents/6809837-description.html - 59k -

[Cached](#) - [Similar pages](#)

Sponsored Links

Free Blueprint Software

Create Perfect Blueprints Fast
See Examples. Free Download!
www.SmartDraw.com

On-line model prediction and calibration system for a dynamically ...

A method of calibrating a **color** printer comprising updating a set of parameters for a dynamic **parametric model** representing **color** space transformations by ...

www.freepatentsonline.com/6809837.html - 60k - [Cached](#) - [Similar pages](#)

Method and apparatus for representing color space transformations ...

1 is a flowchart detailing the processing steps for construction of a **parametric model** representing a **color** reproducing device operation wherein the model ...

www.freepatentsonline.com/6873432.html - 64k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

[PDF] A Quantitative, Parametric Model of Musical Tension

File Format: PDF/Adobe Acrobat - [View as HTML](#)

A motive window and sketch window with lines drawn in the **color** Deeply **schematic** structures are not just dependent on the progression of a few ...

www.media.mit.edu/~mary/thesis/files/MaryFarbood-PhD-Thesis-2006.pdf - [Similar pages](#)

EP1107578 Xerox european software patent - Calibration system for ...

The new and improved method constructs a dynamic model by segregating **color** spaces into a set of homeomorphisms each having an associated **parametric model**. ...

gauss.ffii.org/PatentView/EP1107578 - 54k - [Cached](#) - [Similar pages](#)

[PS] COLOR-BASED INITIALIZATION FOR HUMAN TRACKING WITH A TRINOCULAR ...

File Format: Adobe PostScript - [View as Text](#)

shows a simple **schematic** illustrating the axes of ... **parametric model** of the data. To build the slices, the G-axis is first split into 32. equal divisions. ...

shogun.vuse.vanderbilt.edu/cis/papers/IASTEDRM97.ps - [Similar pages](#)

OCRed document

Non-parametric Model. • **Colour** histogram [13]: A discrete multi-dimensional ... Figure 2:

The **schematic** system diagram for realising ...

ieeexplore.ieee.org/iel5/9297/29549/01341289.pdf?arnumber=1341289 - [Similar pages](#)

Model Company On GlobalSpec

Parametric model that simulates the commuter hall ZOOM Madrid-Chamart?n Railway ... A **BluePrint** gives your business a 300% better chance of getting it to ...

engineering-services.globalspec.com/Industrial-Directory/model_company - 81k -

[Cached](#) - [Similar pages](#)

F-RISC/G HBT Design Automation Manual: Overview

... model interface file [tpl] CellCompiler **Parametric model** template cell [pcl] CellCompiler
Parametric model parameter cell [la] LogicAssistant **Schematic**, ...
www.ecse.rpi.edu/frisc/docs/HBTtools.html - 16k - [Cached](#) - [Similar pages](#)

Biosystems : A design framework to model retinas - Published by ...

Any incoming frame is separated by Retiner into three **color** planes (red, ... So, there is not
only a **color**-contrast and temporal enhancement, but it is also ...
linkinghub.elsevier.com/retrieve/pii/S0303264706001614 - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)